



Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Aetna Precertification Notification
Phone: 1-866-752-7021
FAX: 1-888-267-3277

Page 1 of 3

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
Please Use Medicare Request Form

Please indicate: Start of treatment: Start date ____ / ____ / ____
 Continuation of therapy: Date of last treatment ____ / ____ / ____

Precertification Requested By: _____ Phone: _____ Fax: _____

A. PATIENT INFORMATION

First Name:		Last Name:		DOB:	
Address:		City:		State:	ZIP:
Home Phone:	Work Phone:	Cell Phone:		Email:	
Patient Current Weight: ____ lbs or ____ kgs		Patient Height: ____ inches or ____ cms		Allergies:	

B. INSURANCE INFORMATION

Aetna Member ID #: _____	Does patient have other coverage? <input type="checkbox"/> Yes <input type="checkbox"/> No
Group #: _____	If yes, provide ID#: _____ Carrier Name: _____
Insured: _____	Insured: _____
Medicare: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #: _____	Medicaid: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #: _____

C. PRESCRIBER INFORMATION

First Name:		Last Name: (Check One): <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> N.P. <input type="checkbox"/> P.A.			
Address:		City:		State:	ZIP:
Phone:	Fax:	St Lic #:	NPI #:	DEA #:	UPIN:
Provider Email:		Office Contact Name:		Phone:	
Specialty (Check one): <input type="checkbox"/> Gastroenterologist <input type="checkbox"/> Rheumatologist <input type="checkbox"/> Dermatologist <input type="checkbox"/> Other: _____					

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Place of Administration: <input type="checkbox"/> Self-administered <input type="checkbox"/> Physician's Office <input type="checkbox"/> Outpatient Infusion Center Phone: _____ Center Name: _____ <input type="checkbox"/> Home Infusion Center Phone: _____ Agency Name: _____ <input type="checkbox"/> Administration code(s) (CPT): _____	Dispensing Provider/Pharmacy: Patient Selected choice <input type="checkbox"/> Physician's Office <input type="checkbox"/> Retail Pharmacy <input type="checkbox"/> Specialty Pharmacy <input type="checkbox"/> Mail Order <input type="checkbox"/> Other: _____ Name: _____ Phone: _____ Fax: _____ TIN: _____ PIN: _____
---	---

E. PRODUCT INFORMATION

Request is for Cimzia (certolizumab pegol) Dose: _____ Frequency: _____

F. DIAGNOSIS INFORMATION - Please indicate primary ICD code and specify any other any other where applicable (*).

Primary ICD code : _____

G. CLINICAL INFORMATION - Required clinical information must be completed for ALL precertification requests.

For All Requests (clinical documentation required for all requests):

Yes No Will the requested drug be used in combination with any other biologic (e.g., Humira) or targeted synthetic disease-modifying anti-rheumatic drug (DMARD) (e.g., Olumiant, Otezla, Xeljanz)?

Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic DMARD (e.g., Olumiant, Xeljanz) associated with an increased risk of tuberculosis?

Yes No Has the patient had a tuberculosis (TB) test (e.g., tuberculosis skin test [PPD], interferon-release assay [IGRA], chest x-ray) within 6 months of initiating therapy?

(Check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray
Please enter the results of the tuberculosis (TB) test: positive negative unknown
If positive, Does the patient have latent or active tuberculosis TB? latent active unknown
If latent tuberculosis Yes No Has treatment for latent tuberculosis (TB) infection been initiated or completed?
Please select: treatment initiated treatment completed

Yes No Does the patient have risk factors for tuberculosis (TB) (e.g., persons with close contact to people with infectious TB disease; persons who have recently immigrated from areas of the world with high rates of TB [e.g., Africa, Asia, Eastern Europe, Latin America, Russia]; children less than 5 years of age who have a positive TB test; groups with high rates of TB transmission [e.g., homeless persons, injection drug users, persons with HIV infection], or persons who work or reside with people who are at an increased risk for active TB [e.g., hospitals, long-term care facilities, correctional facilities, homeless shelters])?

Yes No Has the patient been tested for tuberculosis (TB) within the previous 12 months?

(Check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray
Please enter the results of the tuberculosis (TB) test: positive negative unknown
If positive, Does the patient have latent or active tuberculosis (TB)? latent active unknown
If latent tuberculosis Yes No Has treatment for latent tuberculosis (TB) infection been initiated or completed?
Please select: treatment initiated treatment completed

Continued on next



Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 2 of 3

(All fields must be completed and legible for precertification review.)

Aetna Precertification Notification

Phone: 1-866-752-7021

FAX: 1-888-267-3277

For Medicare Advantage Part B:

Please Use Medicare Request Form

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests (clinical documentation required):

Ankylosing spondylitis and axial spondyloarthritis

Please indicate loading dose at weeks 0, 2 and 6: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Please select which of the following applies to the patient: Active ankylosing spondylitis (AS) Active axial spondyloarthritis

Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) indicated for active ankylosing spondylitis or active axial spondyloarthritis?

→ Yes No Has the patient experienced an inadequate response with at least TWO nonsteroidal anti-inflammatory drugs (NSAIDs), or does the patient have an intolerance or contraindication to at least two NSAIDs?

Crohn's disease

Please indicate loading dose at weeks 0, 2, and 6: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Has the patient been diagnosed with moderately to severely active Crohn's disease (CD)?

Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) indicated for moderately to severely active Crohn's disease?

→ Yes No Does the patient have fistulizing Crohn's Disease?

→ Yes No Has the patient tried and had an inadequate response to at least one conventional therapy option?

→ Yes No Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], budesonide [Entocort EC], ciprofloxacin [Cipro], mercaptopurine [Purinethol], methylprednisolone [Solu-Medrol], methotrexate IM or SC, metronidazole [Flagyl], prednisone, sulfasalazine [Azulfidine, Sulfazine], rifaximin [Xifaxan], tacrolimus)?

→ Please select: Sulfasalazine (Azulfidine, Sulfazine) Metronidazole (Flagyl)

Ciprofloxacin (Cipro) Prednisone Budesonide (Entocort EC) Azathioprine (Azasan, Imuran)

Mercaptopurine (Purinethol) Methotrexate IM or SC Methylprednisolone (Solu-Medrol)

Rifaximin (Xifaxan) Tacrolimus

Plaque psoriasis

Please indicate loading dose at weeks 0, 2 and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Has the patient been diagnosed with moderate to severe plaque psoriasis?

Yes No Has the patient ever received (including current utilizers) Otezla or a biologic (e.g., Humira) indicated for the treatment of moderate to severe plaque psoriasis?

→ Yes No Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected?

→ Please indicate the percentage of body surface area (BSA) affected (prior to starting the requested medication): _____%

If less than 10% of BSA:

Yes No Has the patient experienced an inadequate response, or has an intolerance to phototherapy (e.g., UVB, PUVA) or pharmacologic treatment with methotrexate, cyclosporine or acitretin?

→ Yes No Does the patient have a clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine and acitretin?

→ Please indicate clinical reason to avoid pharmacologic treatment:

Clinical diagnosis of alcohol use disorder, alcoholic liver disease or other chronic liver disease

Breastfeeding Cannot be used due to risk of treatment-related toxicity Drug interaction

Pregnancy or currently planning pregnancy

Significant comorbidity prohibits use of systemic agents (e.g., liver or kidney disease, blood dyscrasias, uncontrolled hypertension)

Other, please explain: _____

Psoriatic arthritis

Please indicate loading dose at weeks 0, 2 and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Has the patient been diagnosed with active psoriatic arthritis (PsA)?

Yes No Does the patient have psoriatic arthritis with co-existent plaque psoriasis?

Continued on next page



Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 3 of 3

(All fields must be completed and legible for precertification review.)

Aetna Precertification Notification

Phone: 1-866-752-7021

FAX: 1-888-267-3277

For Medicare Advantage Part B:
Please Use Medicare Request Form

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Rheumatoid arthritis

Please indicate loading dose at weeks 0, 2 and 6: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

- Yes No Has the patient been diagnosed with moderately to severely active rheumatoid arthritis (RA)?
- Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic disease modifying drug (DMARD) (e.g., Rinvoq, Xeljanz) indicated for moderately to severely active rheumatoid arthritis?
 - Yes No Has the patient been tested for the rheumatoid factor (RF) biomarker?
Please indicate test result: positive negative not completed
 - Yes No Has the patient been tested for the anti-cyclic citrullinated peptide (anti-CCP) biomarker?
Please indicate test result: positive negative not completed
 - Yes No Has the patient been tested for the C-reactive protein (CRP) biomarker?
Please indicate test result: positive negative not completed
 - Yes No Has the patient been tested for the erythrocyte sedimentation rate (ESR) biomarker?
Please indicate test result: positive negative not completed
 - Yes No Has the patient experienced an inadequate response after at least 3 months of treatment with methotrexate at a dose greater than or equal to 20mg per week?
 - Yes No Has the patient experienced an intolerance to methotrexate?
 - Yes No Does the patient have a contraindication to methotrexate?
Please indicate the contraindication:
 - History of intolerance or adverse event Renal impairment Hypersensitivity
 - Clinical diagnosis of alcohol use disorder, alcoholic liver disease or other chronic liver disease
 - Elevated liver transaminases Significant drug interaction Myelodysplasia Breastfeeding
 - Interstitial pneumonitis or clinically significant pulmonary fibrosis
 - Pregnancy or currently planning pregnancy
 - Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia)
 - Other, please explain: _____

For Continuation Requests (clinical documentation required for all requests):

Please indicate maintenance dose: _____ frequency: _____ weeks

- Yes No Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?
- Yes No Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?

Ankylosing spondylitis and axial spondyloarthritis

Please indicate which of the following has the patient experienced:

- Functional status Total spinal pain Inflammation (e.g., morning stiffness) None of the above

Crohn's disease

Yes No Has the patient achieved or maintained remission?

Please indicate which of the following has the patient experienced:

- Abdominal pain or tenderness Abdominal mass Body weight Diarrhea Endoscopic appearance of the mucosa Hematocrit
- Improvement on a disease activity scoring tool (e.g., Crohn's Disease Activity Index [CDAI] score) None of the above

Plaque psoriasis

Yes No Has the patient experienced a reduction in body surface area (BSA) affected from baseline?

Yes No Has the patient experienced an improvement in signs and symptoms of the condition from baseline (e.g., itching, redness, flaking, scaling, burning, cracking, pain)?

Psoriatic arthritis only

Please indicate which of the following has the patient experienced:

- Number of swollen joints Number of tender joints Dactylitis Enthesitis Skin and/or nail involvement None of the above

Rheumatoid arthritis

Please indicate the percent of disease activity improvement from baseline in tender joint count, swollen joint count, pain, or disability: _____%

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): _____ Date: ____ / ____ / ____

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.