Rituxan® (rituximab), Riabni® (rituximab-arrx), Ruxience® (rituximab-pvvr), Truxima® (rituximab-abbs) Medication Precertification Request

Aetna Precertification Notification
Phone: 1-866-752-7021 (TTY: 711)
FAX: 1-888-267-3277

For Medicare Advantage Part B:
Please Use Medicare Request Form

(All fields must be completed and return both pages for precertification review.)

Please indicate: ☐ Start of treatment, start date: ____/____/____ ☐ Continuation of therapy, date of last treatment: ____/____/____

Precertification Requested By: _____ Phone: _____ Fax: _____

A. PATIENT INFORMATION

First Name:	Last Name:			
Address:	City:	State:	ZIP:	
Home Phone:	Work Phone:	Cell Phone:	DOB:	E-mail:
Current Weight: ____ lbs or ____ kgs Height: ____ inches or ____ cms	Allergies:			

B. INSURANCE INFORMATION

Member ID #: _____
Group #: _____
Insured: _____

Does patient have other coverage? ☐ Yes ☐ No
If yes, provide ID#: _____ Carrier Name: _____
Insured: _____

Medicare: ☐ Yes ☐ No If yes, provide ID #: **Medicaid:** ☐ Yes ☐ No If yes, provide ID #:

C. PRESCRIBER INFORMATION

First Name:	Last Name: *(Check one):* ☐ M.D. ☐ D.O. ☐ N.P. ☐ P.A.				
Address:	City:	State:	ZIP:		
Phone:	Fax:	St Lic #:	NPI #:	DEA #:	UPIN:
Provider E-mail:	Office Contact Name:	Phone:			

Specialty *(Check one):* ☐ **Rheumatologist** ☐ **Oncologist** ☐ **Other**: _____

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Place of Administration:
☐ Self-administered ☐ Physician's Office
☐ Outpatient Infusion Center Phone: _____
Center Name: _____
☐ Home Infusion Center Phone: _____
Agency Name: _____
☐ Administration code(s) (CPT): _____
Address: _____

Dispensing Provider/Pharmacy: *Patient Selected choice*
☐ Physician's Office ☐ Retail Pharmacy
☐ Specialty Pharmacy ☐ Other _____
Name: _____
Address: _____
Phone: _____ Fax: _____
TIN: _____ PIN: _____

E. PRODUCT INFORMATION

Request is for: Rituxan (rituximab) Dose: _____ **Directions for Use:** _____

F. DIAGNOSIS INFORMATION - Please indicate primary ICD code and specify any other any other where applicable (*).

Primary ICD Code: _____ **Other ICD Code:** _____

G. CLINICAL INFORMATION - Required clinical information must be completed for ALL precertification requests.

For All Requests (clinical documentation required for all requests):

☐ Yes ☐ No Has the patient failed treatment with Truxima due to a documented intolerable adverse event (e.g., rash, nausea, vomiting)?
→ ☐ Yes ☐ No Was the adverse event unexpected and not attributed to the active ingredient as described in the prescribing information (i.e., known adverse reaction for both the brand and biosimilar medication)?

Autoimmune blistering diseases
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a dermatologist or immunologist?

Granulomatosis with polyangiitis (GPA) (Wegener's granulomatosis), Microscopic polyangiitis (MPA), Churg-Strauss syndrome, Pauci-immune glomerulonephritis, Systemic lupus erythematosus, Rheumatoid arthritis (RA)
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?

Myasthenia gravis, Multiple Sclerosis, Neuromyelitis optica (i.e., neuromyelitis optica spectrum disorder; NMOSD, Devic disease), Opsoclonus-myoclonus-ataxia
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a neurologist or immunologist?

Sjogren's syndrome
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, ophthalmologist, or immunologist?

Cryoglobulinemia
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a hematologist, rheumatologist, neurologist, or nephrologist?

Solid organ transplant
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with an immunologist or transplant specialist?

Continued on next page

Aetna Precertification Notification
Phone: 1-866-752-7021 (TTY: 711)
FAX: 1-888-267-3277

For Medicare Advantage Part B:
Please Use Medicare Request Form

Patient First Name	Patient Last Name	Patient Phone	Patient DOB

G. CLINICAL INFORMATION *(Continued)* - Required clinical information must be completed for ALL precertification requests.

Non-Oncology:

- ☐ **Autoimmune hemolytic anemia**
- ☐ **Chronic graft versus host disease**
- ☐ **Cryoglobulinemia**
  - ☐ Yes ☐ No Have corticosteroids and other immunosuppressive agents been ineffective?
- ☐ **Churg-Strauss syndrome**
  - ☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?
- ☐ **Granulomatosis with polyangiitis (GPA) (Wegener's granulomatosis)**
  - ☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?
- ☐ **Immune Checkpoint Inhibitor-related toxicities**
- ☐ **Immune or idiopathic thrombocytopenic purpura (ITP), refractory**
- ☐ **Microscopic polyangiitis (MPA)**
  - ☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?
- ☐ **Multiple sclerosis (MS)**
  - ☐ Yes ☐ No Has the patient been diagnosed with relapsing-remitting multiple sclerosis (RRMS)?
  - ☐ Yes ☐ No Is the patient taking the requested medication with any other medication used for the treatment of multiple sclerosis other than Ampyra?
- ☐ **Myasthenia gravis, refractory**
  - ☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a neurologist or immunologist?
- ☐ **Neuromyelitis optica (i.e., neuromyelitis optica spectrum disorder (NMOSD), Devic disease)**
  - ☐ Yes ☐ No Will the patient receive the requested drug concomitantly with other biologics for the treatment of neuromyelitis optica spectrum disorder (NMOSD)?
- ☐ **Opsoclonus-myoclonus ataxia**
  - ☐ Yes ☐ No Is the requested drug being used for associated opsoclonus-myoclonus ataxia associated with neuroblastoma?
  - ☐ Yes ☐ No Is the patient refractory to steroids and chemotherapy?
- ☐ **Pauci-immune glomerulonephritis**
- ☐ **Prevention of Epstein-Barr virus (EBV) related post-transplant lymphoproliferative disorder (PTLD)**
- ☐ **Rheumatoid arthritis (RA)**
  - ☐ Yes ☐ No Has the patient been diagnosed with moderately to severely active rheumatoid arthritis (RA)?
  - ☐ Yes ☐ No Has the patient previously received a biologic or targeted synthetic drug (e.g., Rinvoq, Xeljanz) that is indicated for moderately to severely active rheumatoid arthritis?
    - → ☐ Yes ☐ No Has the patient received at least two full doses of the requested medication, with the most recent dose being 6 months before this request?
      - → ☐ Yes ☐ No Does the patient meet either of the following: a) the patient was tested for the rheumatoid factor (RF) biomarker and the RF biomarker test was positive, or b) the patient was tested for the anti-cyclic citrullinated peptide (anti-CCP) biomarker and the anti-CCP biomarker test was positive?
        - → ☐ Yes ☐ No Has the patient been tested for all of the following biomarkers: a) rheumatoid factor (RF), b) anti-cyclic citrullinated peptide (anti-CCP), and c) C-reactive protein (CRP) and/or erythrocyte sedimentation rate (ESR)?
  - ☐ Yes ☐ No Has the patient experienced an inadequate response after at least 3 months of treatment with the methotrexate at a dose greater than or equal to 15 mg per week?
  - ☐ Yes ☐ No Has the patient experienced an inadequate response with another conventional drug (e.g., hydroxychloroquine, leflunomide, sulfasalazine)?
  - ☐ Yes ☐ No Is the requested drug being prescribed in combination with methotrexate or leflunomide?
    - → ☐ Yes ☐ No Has the patient experienced an intolerance to methotrexate or leflunomide?
      - → ☐ Yes ☐ No Does the patient have a contraindication to methotrexate or leflunomide?
        - → Please indicate the contraindication:
          - ☐ History of intolerance or adverse event ☐ Renal impairment ☐ Hypersensitivity
          - ☐ Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia)
          - ☐ Breastfeeding ☐ Elevated liver transaminases ☐ Myelodysplasia
          - ☐ Interstitial pneumonitis or clinically significant pulmonary fibrosis
          - ☐ Pregnancy or currently planning pregnancy ☐ Significant drug interaction
          - ☐ Clinical diagnosis of alcohol use disorder, alcoholic liver disease or other chronic liver disease
          - ☐ Other: _____
  - ☐ Yes ☐ No Will the requested drug be used with another biologic for the treatment of rheumatoid arthritis?
  - ☐ Yes ☐ No Is the planned date of administration at least 16 weeks after the date of the last dose received?
  - ☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?

Continued on next page

Rituxan (rituximab), Riabni® (rituximab-arrx), Ruxience® (rituximab-pvvr), Truxima® (rituximab-abbs) Medication Precertification Request

(All fields must be completed and return both pages for precertification review.)

Aetna Precertification Notification
Phone: 1-866-752-7021 (TTY: 711)
FAX: 1-888-267-3277

For Medicare Advantage Part B:
Please Use Medicare Request Form

Patient First Name	Patient Last Name	Patient Phone	Patient DOB

G. CLINICAL INFORMATION *(Continued)* - Required clinical information must be completed for ALL precertification requests.

☐ **Sjögren's syndrome**
☐ Yes ☐ No Have corticosteroids and other immunosuppressive agents been ineffective?

☐ **Solid organ transplant and prevention of antibody mediated rejection in solid organ transplant**
☐ Yes ☐ No Is the requested drug being used for the treatment and prevention of antibody mediated rejection in solid organ transplant?

☐ **Systemic Lupus Erythematosus (SLE)**
☐ Yes ☐ No Is the disease refractory to immunosuppressive therapy?
☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?

☐ **Thrombotic thrombocytopenic purpura (TTP)**

Oncology:

☐ Yes ☐ No Does the patient have CD20 positive disease that was confirmed by testing or analysis?
→ **Action required: If 'Yes', attach results chart note(s) or test confirming CD20 protein on the surface of the B-cell**.

Please indicate the patient's documented diagnosis:

☐ B-cell acute lymphoblastic leukemia (ALL)
☐ B-cell lymphoblastic lymphoma
☐ Burkitt lymphoma
☐ Castleman's disease
☐ Chronic lymphocytic leukemia (CLL)
☐ Diffuse large B-cell lymphoma (DLBCL)
☐ Extranodal marginal zone lymphoma (gastric and non-gastric MALT lymphoma)
☐ Follicular lymphoma
☐ Hairy cell leukemia
☐ High-grade B-cell lymphoma with translocations of MYC and BCL2 and/or BCL6 (double/triple hit lymphoma)
☐ High-grade B-cell lymphoma, not otherwise specified
☐ Histological transformation from follicular lymphoma to diffuse large B-cell lymphoma
☐ HIV-related B-cell lymphoma
☐ Histological transformation from nodal marginal zone lymphomas to diffuse large B-cell lymphoma
☐ Hodgkin's lymphoma, nodular lymphocyte-predominant
☐ Leptomeningeal metastases from lymphomas
☐ Mantle cell lymphoma
☐ Nodal marginal zone lymphomas
☐ Pediatric Aggressive Mature B-Cell Lymphomas
☐ Primary central nervous system (CNS) lymphoma
☐ Primary mediastinal large B-cell lymphoma
☐ Primary cutaneous B-cell lymphoma
☐ Post-transplant lymphoproliferative disorder (PTLD)
☐ Rosai-Dorfman disease
☐ Small lymphocytic lymphoma (SLL)
☐ Waldenström's macroglobulinemia/lymphoplasmacytic lymphoma (LPL)

For Continuation Requests (clinical documentation required for all requests):

☐ Yes ☐ No Has the patient failed treatment with Truxima due to a documented intolerable adverse event (e.g., rash, nausea, vomiting)?
→ ☐ Yes ☐ No Was the adverse event unexpected and not attributed to the active ingredient as described in the prescribing information (i.e., known adverse reaction for both the brand and biosimilar medication)?

Rheumatoid Arthritis (RA)

Please indicate the number of total doses the patient has received since starting treatment with the requested medication: _____

Please indicate the percent of disease activity improvement from baseline in tender joint count, swollen joint count, pain, or disability: _____%

☐ Yes ☐ No Has the patient achieved or maintained positive clinical response since starting treatment with the requested medication?

Multiple sclerosis (MS)

☐ Yes ☐ No Is the patient experiencing disease stability or improvement while receiving the requested medication?

Continuation, oncologic indications

☐ Yes ☐ No Is there evidence of unacceptable toxicity on the current regimen?

Continuation, immune checkpoint inhibitor-related toxicities and all other indications

☐ Yes ☐ No Is the patient experiencing benefit from therapy?

Continued on next page

Rituxan® (rituximab), Riabni® (rituximab-arrx), Ruxience® (rituximab-pvvr), Truxima® (rituximab-abbs) Medication Precertification Request

(All fields must be completed and return both pages for precertification review.)

Aetna Precertification Notification
Phone: 1-866-752-7021 (TTY: 711)
FAX: 1-888-267-3277

For Medicare Advantage Part B:
Please Use Medicare Request Form

Patient First Name	Patient Last Name	Patient Phone	Patient DOB

H. ACKNOWLEDGEMENT

Request Completed By *(Signature Required):* _____ **Date:** ____/____/____

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.