



**Aetna Institutes of Quality® Bariatric Surgery
Summary of Criteria
Facility Requirements for Consideration**

To be considered for designation in the Aetna Institutes of Quality (IOQ) Bariatric Surgery network (the network), a facility must submit a current year request for information (RFI). We'll review the facility's answers to the RFI, and we'll also review other data, including our own. We evaluate continued participation when the network is refreshed every three years — all facilities must reapply.

We may select a facility to participate in the network if it meets certain measures of:

- Clinical quality
- Contract requirements
- Cost efficiency
- Access for bariatric surgery services

Designation process

1. We invite the facility to complete and submit an RFI. The RFI applies only to adult patients age 18 and over.
2. We review the facility's response to determine clinical eligibility. If the facility does not meet all applicable criteria, the facility is not eligible for designation. We evaluate no further.
3. If the facility meets all applicable clinical quality criteria, we determine if the facility meets our contract, cost efficiency, and network access criteria. If the facility meets all these requirements, we'll designate the facility into the network.
4. We'll let the facility know if it's designated into the network.
5. We'll list the designated facility in our Provider Search online provider directory.

Designation is valid for three years and is dependent upon ongoing compliance with program requirements.

Program requirements

To be considered for designation, both inpatient facilities and freestanding ambulatory surgery centers (ASC) must meet all applicable program requirements listed below.

Business requirements

1. Both inpatient facilities and ASCs must be credentialed by Aetna, and they must participate in Aetna's provider network for all benefit plans and products available in their geographic area.
2. All the inpatient facility's or ASC's bariatric surgeons must be credentialed by Aetna, and they must participate in Aetna's provider network for all benefit plans and products available in the facility's geographic area.
3. Inpatient facilities must be accredited as a Comprehensive Center and ASCs must be accredited as an Ambulatory Surgery Center by the American College of Surgeon's Metabolic and Bariatric Surgery Accreditation and Quality Improvement Program.

Patient care requirements

4. The ASC's and inpatient facility's transfer agreement(s), as applicable, must include transferring Aetna members to an Aetna-participating inpatient facility within 50 miles of the facility.

Volume requirements

5. The inpatient facility or ASC must have at least one bariatric surgeon who has performed at least 100 bariatric surgeries in the most recent rolling 24 months. These procedures may have been performed in multiple facilities.
6. The inpatient facility must have performed at least 125 total bariatric surgeries in the most recent rolling 12 months.

7. The ASC must have performed at least 75 total bariatric surgeries in the most recent rolling 12 months.

Outcomes requirements

8. In the most recently available rolling 12 months, the inpatient facility's or ASC's mortality rate within 30 days of bariatric surgery must be less than or equal to 1 (one) percent.
9. In the most recently available rolling 12 months, the inpatient facility's or ASC's re-operation rate within 30 days of bariatric surgery must be less than or equal to 5 (five) percent.
10. In the most recently available rolling 12 months, the inpatient facility's or ASC's major complication rate within 30 days of the initial bariatric surgery must be less than or equal to 8 (eight) percent.
11. In the most recently available rolling 12 months, the inpatient facility's or ASC's revision of bariatric surgeries within 30 days of the initial bariatric surgery must be less than or equal to five percent.
12. In the most recently available rolling 12 months, the inpatient facility's or ASC's all-cause re-admission rate within 30 days of the initial bariatric surgery must be less than or equal to ten percent.

References:

Courcoulas A, Coley RY, Clark JM, et al. Interventions and Operations 5 Years After Bariatric Surgery in a Cohort From the US National Patient-Centered Clinical Research Network Bariatric Study. *JAMA Surgery*. 2020;155(3):194-204.

Bouchard P, Demyttenaere S, Court O, et al. Surgeon and hospital volume outcomes in bariatric surgery: A population-level study. *Surg Obes Relat Dis*. 2020;16(5):674-681.

O'Brien PE, Hindle A, Brennan L, et al. Long-term outcomes after bariatric surgery: A systematic review and meta-analysis of weight loss at 10 or more years for all bariatric procedures and a single-centre review of 20-year outcomes after adjustable gastric banding. *Obes Surg*. 2019;29(1):3-14.

Ardila-Gatas J, Sharma G, Lloyd S, et al. A nationwide safety analysis of discharge on the first postoperative day after bariatric surgery in selected patients. *Obes Surg*. 2019;29(1):15-22.

Lee AN, Johnson R, Lakhani I, et al. Outcomes at bariatric surgery centers of excellence and non-designated centers: A retrospective cohort study in a TRICARE population. *Am Surg*. 2018;84(3):410-415.

Salminen P, Helmiö M, Ovaska, Juuti A, et al. Effect of Laparoscopic Sleeve Gastrectomy vs Laparoscopic Roux-en-Y Gastric Bypass on Weight Loss at 5 Years Among Patients With Morbid Obesity: The SLEEVEPASS Randomized Clinical Trial. *JAMA*. 2018;319(3):241.

Ahmed B, King WC, Gourash W, et al. Long-term weight change and health outcomes for sleeve gastrectomy (SG) and matched Roux-en-Y gastric bypass (RYGB) participants in the Longitudinal Assessment of Bariatric Surgery (LABS) study. *Surgery*. 2018;16(4):774.

Courcoulas AP, King WC, Belle SH, et al. Seven-Year Weight Trajectories and Health Outcomes in the Longitudinal Assessment of Bariatric Surgery (LABS) Study. *JAMA Surg*. 2018;153(5):427.

English WJ, DeMaria EJ, Brethauer SA, et al. American Society for Metabolic and Bariatric Surgery estimation of metabolic and bariatric procedures performed in the United States in 2016. *Surg Obes Relat Dis*. 2018 Mar;14(3):259-263.

Chaar ME, Lundberg P, Stoltzfus J. Thirty-day outcomes of sleeve gastrectomy versus Roux-en-Y gastric bypass: first report based on Metabolic and Bariatric Surgery Accreditation and Quality Improvement Program database. *Surg Obes Relat Dis*. 2018 May;14(5):545-551.

Metabolic and Bariatric Surgery Accreditation and Quality Improvement Program (MBSAQIP). Available at: <https://www.facs.org/quality-programs/mbsaqip>. Accessed April 16, 2021.

American Society for Metabolic and Bariatric Surgery (ASMBS). Estimate of bariatric surgery numbers, 2011-2018. Published June 2018. Available at: <https://asmbs.org/resources/estimate-of-bariatric-surgery-numbers>. Accessed April 16, 2021.